

Notice of Allowability

Application No.

09/841,282

Examiner

Timothy J Thompson

Applicant(s)

MOCHIZUKI, NORITAKA

Art Unit

2873

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to an amendment filed on 5/27/05.
2. ☒ The allowed claim(s) is/are 1,2,4,6,7,10,11,36 and 39-43.
3. ☒ The drawings filed on 24 April 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 06/2005.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

DETAILED ACTION**EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Sungho Hong on 6/22/2005.

The application has been amended as follows:

--Claims 36 and 39 have been canceled

40(currently amended): The projection apparatus ~~according to claim 39, further~~ comprising:

an optical modulation element that includes a plurality of reflecting surfaces and a plurality of piezoelectric elements configured to control the height of corresponding reflecting surfaces so that the reflecting surfaces form a reflective diffraction grating which generates diffraction light on the basis of incident light, wherein the intensity of light reflected and diffracted by said reflective diffraction grating is adjusted by adjusting a voltage to be impressed to the piezoelectric element;

a projection optical system for projecting light from said optical modulation element; and a stopper for shielding light reflected without being diffracted in said optical modulation element.

Allowable Subject Matter

Claims 1, 2, 4, 6, 7, 10, 11, 40-43 are allowed.

The following is an examiner's statement of reasons for allowance: The prior art taken either singularity or in combination fails to anticipate or fairly suggest the limitations of the dependant claim, in such a manner that a rejection under 35 U.S.C. 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claims 1, 36, with the allowable feature being the plurality of elements are respectively provided with piezoelectric element where the polarities of the electric fields of which are alternately different from each other(claim 1); wherein the intensity of light reflected and diffracted by said reflective diffraction grating is adjusted by adjusting a voltage to be impressed to the piezoelectric element; a projection system for projecting light from said optical modulation element; and a stopper for shielding light reflected without being diffracted in said optical modulation element(claim 40). Therefore claims 1, 2, 4, 6, 7, 10, 11, 40-43 are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2873

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy J. Thompson whose telephone number is (571) 272-2342. If the examiner can not be reached his supervisor, Georgia Epps, can be reached on (571) 272-2328.

A handwritten signature in black ink that reads "Timothy Thompson". The signature is written in a cursive, flowing style.

**TIMOTHY THOMPSON
PRIMARY EXAMINER**